

9688-285

01/29/2013

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

JAN 29 2013

OFFICE OF CHEMICAL, SAFETY  
AND POLLUTION PREVENTION

Jessica Goldberg, agent for  
Chemsico, Division of United Industries Corporation  
P.O. Box 142642  
St. Louis, MO 63114

Subject: Amendment to review efficacy data to support a new tier III bait station design and to revise label claims  
EPA Registration No.: 9688-285  
Primary Brand Name: Chemsico Disposable Bait Station  
Submission Date: October 18, 2012

Dear Ms. Goldberg:

The label and efficacy data (MRID # 48975901) referred to above, submitted under FIFRA, as amended, are **acceptable**. A copy of the efficacy review is enclosed for you. Please submit one final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at [benbow.gene@epa.gov](mailto:benbow.gene@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, loopy flourish.

John Hebert  
Product Manager 07  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

# Chemsico Disposable Bait Station



**THIS BAIT STATION IS RESISTANT TO TAMPERING BY CHILDREN. Use Indoors Only.**

Mouse Poison Bait Station  
Contains Bitrex

For Use in Homes and Residential Buildings  
Indoor Rodent Control  
Kills House Mice

Moisture Resistant Bait

House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die. House mice cease feeding after consuming a toxic dose. This product is effective against anti-coagulant-resistant house mice.



<b>ACTIVE INGREDIENT:</b>	
Bromethalin (CAS No. 63333-35-7) .....	0.01%
<b>OTHER INGREDIENTS</b> .....	<u>99.99%</u>
	<b>TOTAL 100.00%</b>

**KEEP OUT OF THE REACH OF CHILDREN  
CAUTION:**

**MAY BE FATAL IF EATEN  
BY CHILDREN OR PETS**

**SEE SIDE/BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS**

NET CONTENTS 0.5 oz. BLOCK per BAIT STATION  
1 to 32 X 0.5 oz. to one (1) pound BLOCKS per 1 to 32 BAIT STATIONS

**STOP: Read all Directions and Precautions before use**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves. Wash hands thoroughly immediately after such activities.

**FIRST AID**

Have product container or label with you when calling a poison control center or doctor for treatment. You may also contact the Hotline Number at 1-800-XXX-XXXX for health concerns, emergency medical treatment information or pesticide incidents.

- If Swallowed**
- Call a poison control center, doctor, or HOT LINE NUMBER 1-800-XXX-XXXX immediately for treatment advice.
  - Have person sip a glass of water if able to swallow.
  - Do not induce vomiting unless told to do so by a poison control center or doctor.
  - Do not give anything by mouth to an unconscious person.

- If in Eyes**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
  - Call a poison control center or doctor for treatment advice.

- If On Skin or Clothing**
- Take off contaminated clothing.
  - Rinse skin immediately with plenty of water for 15-20 minutes.
  - Call a poison control center, doctor, or HOT LINE NUMBER 1-800-XXX-XXXX immediately for treatment advice.

**TREATMENT FOR PET POISONING**

If an animal eats this bait, call a veterinarian at once.

**NOTE TO PHYSICIAN or VETERINARIAN**

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait.

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use this product only for sites, pests, and application methods described on this label.

To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may only be used to control house mice inside of homes and residential buildings. This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.** Do not place this ready-to-use bait station in any area where there is a possibility of contaminating food or surfaces that come into contact with food. Do not place near or inside ventilation duct openings. Do not break station open and/or deliberately remove bait from it.

**SELECTION OF TREATMENT AREAS:** Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food, water and harborage as possible prior to bait application.

**APPLICATION DIRECTIONS:** The active ingredient in this product is different from anticoagulant rodenticides. Individual house mice cease feeding after consuming a toxic dose.

**House Mice:** Place a single unit at each placement location. Space placements at 8 to 12 foot intervals. Replace bait if contents are consumed or contaminated and replace units if severely damaged. If units are untouched after three days, move to new locations consistent with label text. Continue baiting until all signs of house mouse activity have ceased.

**Follow-up:** Wearing waterproof gloves, collect and dispose of all dead, exposed animals and leftover bait properly. To prevent reinfestation, limit sources of food, water, and harborage for house mice as much as possible. If reinfestation does occur, repeat treatment.

---

---

**STORAGE AND DISPOSAL**

---

---

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container in a dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place any unused product down any indoor or outdoor drain.

---

---

**SIDE/BACK PANEL**

**Notice:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

Distributed By  
**Chemsico, Div. Of United Industries Corp.**  
PO Box 142642  
St. Louis, MO 63114

EPA Reg. No.: 9688-285

EPA Est. No.: as appropriate.

{Lot/Code/Product/Revision Numbers as Needed}

---

**{Note: TEXT FOR STICKER TO BE AFFIXED TO EACH PRE-FILLED, NON-REFILLABLE BAIT STATION}**

**Chemsico Disposable Bait Station**  
Net Weight: 0.5 oz.

**Do not allow children or pets to play with station**

**CAUTION**

See outer package label for additional precautionary statements, first aid information and directions for use. THIS BAIT STATION IS RESISTANT TO TAMPERING BY CHILDREN. Use Indoors Only.

Active Ingredient: Bromethalin (CAS No. 63333-35-7)	0.01%
Inert Ingredients	<u>99.99%</u>
Total	100.00%

Distributed By  
**Chemsico, Div. Of United Industries Corp.**  
PO Box 142642  
St. Louis, MO 63114

EPA Reg. No. 9688-285

EPA Est. No. As appropriate

---

See Next Page for Marketing Claims

[Marketing Claims that may be used on either the outer carton, front, side or back panel or bait station itself appear below]

House Mouse Pre-loaded bait stations

For indoor house mouse control

Kills House Mice

Kills house mice dead

House mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from the time of bait consumption for these rodents to die.

Moisture resistant

(Contains) X pre baited (disposable) stations

(House mice) enter and feed on bait

Low profile design

Disposable bait station

Disposable

Ready to Use

Contains Denatonium Benzoate

Station is Child Resistant

Kid Tested Station

Child Tested Station

Kid Resistant Station

Child Resistant Station



House mice usually consume a lethal dose in a single night's feeding, but it may take two or more days from time of bait consumption for these rodents to die. Rodents cease feeding after consuming a toxic dose. This product is effective against anticoagulant resistant house mice.

( ) indicates text that is optional and may not be used.